

(= > M v / p x o w / + x o / x w z n o w /)

↓

← > M v / p x o w / + x o / x w z n o w /)

↓ > M v / p x o w / + x o / x w z n o w /)

← > M v / p x o w / + x o / x w z n o w /)

← > M v / p x o w / + x o / x w z n o w /)

/ > M v / p x o w / + x o / x w z n o w /)

" > M v / p x o w / + x o / x w z n o w /)


$$\leftarrow \begin{array}{c} \updownarrow \\ \leftarrow \rightarrow \end{array} \cdot \begin{array}{c} \updownarrow \\ \leftarrow \rightarrow \end{array} \mathcal{M}$$
[illegible]

52 $\Rightarrow$ 

[illegible]

[illegible]

$$\text{\textcircled{E}} \Uparrow + \mathcal{D}''_{\rho} \leftarrow \overleftrightarrow{\mathbb{P}} \rightarrow \mathfrak{S} \Downarrow \mathcal{M} \Leftarrow \Xi \quad \Pi$$
$$\Sigma \ni \mathbb{A} \leftarrow D_{\mathbb{A}} \rightarrow \mathbb{B} : \mathbb{A} \leftarrow \mathbb{B} \rightarrow \partial$$
[illegible]

($\leftarrow$, $\rightarrow$, $\downarrow$, $\uparrow$) $\otimes$ $\{E, M\}$ $\vee$ $A \leftarrow E \rightarrow$

[illegible][illegible]

[illegible]

A detailed technical drawing of a mechanical shaft assembly. The shaft is horizontal and features several components: a pulley at the left end, a series of gears or sprockets in the middle, and a coupling or joint at the right end. Various parts are labeled with letters (A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z) and numbers (1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100). The drawing includes cross-sections and detailed views of the components.

[illegible]
$$113, 112 \Rightarrow / \rightleftharpoons \mathcal{M} \downarrow \uparrow \times \times \downarrow \Downarrow \gg$$
[illegible][illegible][illegible][illegible]

A detailed technical drawing of a mechanical shaft assembly. The shaft is horizontal and features several components: a pulley at the left end, a series of gears or pulleys in the middle, and a coupling or joint at the right end. Various parts are labeled with letters (A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z) and numbers (1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100). The drawing includes cross-sections and detailed views of the components.

$$\mathbb{I} \rightarrow M \rightrightarrows \mathbb{I} \rightarrow M \rightrightarrows \mathbb{I} \rightarrow M \cdots \rightarrow M \rightrightarrows \mathbb{I}$$
[illegible]

